





#### **FEATURES:**


- 304 Stainless Steel, Welded and Polished Top Assembly, Front Apron and Ends
- 304 Stainless Steel Insulated Ice Chest with 11" Inside Depth
- Factory-Installed, 4, 8 or 10 Circuit Post-Mix Sealed-In Cold Plate (Cold Plate Designated by Adding "+4", "+8", or "+10")
- Legs: Galvanized Steel Tube and Welded Cross-Brace Construction, with Corrosion Resistant Hammertone Paint and High-Impact Plastic Adjustable Feet
- Ice Chests Include 304 Stainless Steel Sliding Cover
- Standard Ice Chest: 1 1/2" Male Pipe Thread Drain
- Ice Chest with Cold Plate: 1/2" Standard Female Pipe Thread Drain
- 6" Unit Designed to Attach to Adjacent Units (No Legs)
- Constructed to Meet NSF Specifications


#### MODEL NUMBERS:

Description	Model	Model	
Ice Chests	SD6IC		
	SD12IC		
	SD18IC (+4)		
	SD24IC (+8, +10)	SK24IC (+8, +10)	
	SD30IC (+8, +10)	SK30IC (+8, +10)	
	SD36IC (+8, +10)	SK36IC (+8, +10)	
	SD48IC (+8, +10)		

# SD: 19" FRONT TO BACK


# SK: 21" FRONT TO BACK






# STANDARD ICE CHESTS






## FRONT VIEW:




Model	Α	В	С	Capacity
SD6IC	6	3	4	30 lbs.
SD12IC	12	6	10	50 lbs.
SD18IC	18	9	16	70 lbs.
SD24IC	24	12	22	95 lbs.
SD30IC	30	15	28	120 lbs.
SD36IC	36	18	34	150 lbs.
SD48IC	48	24	46	200 lbs.

11" Ice Storage Depth

## TOP VIEW:



## FRONT VIEW:




Model	Α	В	C	Capacity
SK24IC	24	12	22	95 lbs.
SK30IC	30	15	28	120 lbs.
SK36IC	36	18	34	150 lbs.
SK48IC	48	24	46	200 lbs.

<sup>11&</sup>quot; Ice Storage Depth


F#5070.1016 F#4010.1016

# **ICE CHESTS WITH COLD PLATES**

### TOP VIEW:




# FRONT VIEW:




Model	Α	В	С	Capacity
SD18IC (+4)	18	9	16	70 lbs.
SD24IC (+8, +10)	24	12	22	95 lbs.
SD30IC (+8, +10)	30	15	28	120 lbs.
SD36IC (+8, +10)	36	18	34	150 lbs.
SD48IC (+8, +10)	48	24	46	200 lbs.

<sup>11&</sup>quot; Ice Storage Depth

### TOP VIEW:



### FRONT VIEW:



Model	Α	В	С	Capacity
SK24IC (+8, +10)	24	12	22	95 lbs.
SK30IC (+8, +10)	30	15	28	120 lbs.
SK36IC (+8, +10)	36	18	34	150 lbs.
SK48IC (+8, +10)	48	24	46	200 lbs.

<sup>11&</sup>quot; Ice Storage Depth

LaCrosse has a policy of continous product improvement, and reserves the right to change design and specifications without notice.